APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAR 22 2004			
Returned to applicant for correction			
Corrected application filed			
filed			

The applicant Von Loyd Sorensen and Marian P. Sorensen hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association give names of members.)			

1. The source of the proposed appropriation is Underground (North Dolly Varden stock well)			
2. The amount of water applied for is 0.04 c.f.s. second-feet			
(a) If stored in reservoir give number of acre-feet			
3. The water to be used for stock watering (600 cattle)			
 4. If use is for: (a) Irrigation, state number of acres to be irrigated (b) Stockwater, state number and kinds of animals to be watered 600 cattle (c) Other use (describe fully under No. 12. "Remarks") (d) Power: (1) Horsepower developed (2) Point of return of water to stream 			
5. The water is to be diverted from its source at the following point within SW¼ SE¼ Section 4, T.31N., R.66E., M.D.M., from which the NW corner of said section 4 bears N. 41°30° W., 5,460 ft. dist.			
6. Place of Use SE1/4 Sec. 4, T.31N., R.66E., M.D.M.			
7. Use will begin about January 1 and end about December 31 of each year.			
8. Description of proposed works drilled well, casing, submersible electric pump, portable generator, discharge line, storage tank and troughs.			
9. Estimated cost of works \$20,000.00			
10. Estimated time required to construct works two years			
11. Estimated time required to complete the application of water to beneficial use four years			
12. Remarks: Point of diversion and place of use on land owned by the applicant.			
By s/William A. Nisbet Agent 421 Court Street Elko, NV 89801			

Compared cmf/sam dl/gkl

Protested_

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do

hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the period of use and the average number of livestock served from the waters of this source. It is further understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to any other ground water development in the area. well shall be equipped with a 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times but does not take responsibility for the use of the Federal range.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0188 cubic feet per second, orsufficient to water 600 cows.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 24, 2007

Proof of completion of work shall be filed on or before:

June 24, 2007

Water must be placed to beneficial use on or before:

May 24, 2009

Proof of the application of water to beneficial use shall be filed on or before: <u>June 24, 2009</u>

Map in support of proof of beneficial use shall be filed on or before: N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 24th day of May, A.D. 2005

State Engineer

Completion of work filed		•••	•
Proof of beneficial use filed			
Cultural map filed	N/A		
Certificate No.		Tssued	